RANGE INFO

SOLARTEK ULTRA VIEW

Designed for maximum heat rejection whilst transmitting maximum light this high end spectrally selective, elegant film has a barely visible appearance. It benefits from extremely low interior & external reflectivity. Great solar heat and UV rejection, fade and corrosion resistance with an exclusive manufacturers warranty.



HIGH 80 EXT.



HEAT REDUCTION - 55%

GLARE REDUCTION - 12%

MEDIUM 50 INT.



HEAT REDUCTION - 53%

GLARE REDUCTION - 39%

LOW 70 INT.



HEAT REDUCTION - 40%

GLARE REDUCTION - 24%

Almost invisible but you will certainly feel its effect and see the reduction in your energy bills. This film creates a much more comfortable working or residential environment.

Block out the heat, lower your energy costs and appreciate the daylight throughout your home or office.

ALL OF THE BENEFITS ABOVE PLUS...

REDUCES FADING

99% OF HARMFUL UV RAYS BLOCKED



HIGH INFRARED REJECTION SOLARTEK

GUARANTEE

WWW.SOLARTEKFILMS.COM

At Solartek we pride ourselves on finding the best possible solution to the problems of glare, fading, unwanted heat gain, heat loss, safety, privacy, condensation and security anywhere there is glass.

Given proper care, you will receive many years of benefit and comfort from the presence of our film on your windows



SOLARTEK FILMS LTD

42b High Street Ware, Hertfordshire SG12 9BY

02071 835563

INFO@SOLARTEKELMS.COM

DATASHEET

SOLARTEK ULTRA VIEW 80 EXTERNAL

PRODUCT SPECIFICATION

RANGE: ULTRA VIEW

VARIANT: HIGH

SOLAR HEAT REDUCTION: 40%

GLARE REDUCTION: 12%

ULTRA VIOLET REDUCTION: 99%


WINTER 'U' FACTOR: 6.02

FEATURES & BENEFITS

Designed for maximum heat rejection whilst transmitting maximum light this high end spectrally selective, elegant film has a barely visible appearance.

It benefits from extremely low interior & external reflectivity and has great solar heat and UV rejection, fade and corrosion resistance with an exclusive manufacturers warranty.

% MAY CHANGE SLIGHTLY SEPENDING ON GLASS TYPE



DATASHEET

SOLARTEK ULTRA VIEW MEDIUM 70 INT.

PRODUCT SPECIFICATION

RANGE: ULTRA VIEW

VARIANT: MEDIUM

SOLAR HEAT REDUCTION: 40%

GLARE REDUCTION: 12%

ULTRA VIOLET REDUCTION: 99%


WINTER 'U' FACTOR: 6.02

FEATURES & BENEFITS

Designed for maximum heat rejection whilst transmitting maximum light this high end spectrally selective, elegant film has a barely visible appearance.

It benefits from extremely low interior & external reflectivity and has great solar heat and UV rejection, fade and corrosion resistance with an exclusive manufacturers warranty.

% MAY CHANGE SLIGHTLY DEPENDING ON GLASS TYPE



DATASHEET



PRODUCT SPECIFICATION

RANGE: ULTRA VIEW

VARIANT: LOW

SOLAR HEAT REDUCTION: 40%

GLARE REDUCTION: 12%

ULTRA VIOLET REDUCTION: 99%

WINTER 'U' FACTOR: 6.02

FEATURES & BENEFITS

Designed for maximum heat rejection whilst transmitting maximum light this high end spectrally selective, elegant film has a barely visible appearance.

It benefits from extremely low interior & external reflectivity and has great solar heat and UV rejection, fade and corrosion resistance with an exclusive manufacturers warranty.

% MAY CHANGE SLIGHTLY SEPENDING ON GLASS TYPE

