



Harol Tucan





Tucan, traditional on the outside, innovative on the inside

The Tucan's look may be traditional, but the materials and options are anything but. With this lightweight folding arm awning, you can enjoy Harol quality in an innovative, classic look.

What's the big benefit of an awning? The terrace, balcony or living room remain pleasantly cool, even when it's unbearably hot outside. What's more, it also protects against harmful UV rays!

.....



Sensors keep it safe

Thanks to the sensors, you don't need to worry about the awning. When there's a strong wind, the awning closes automatically. When the sun shines, it opens automatically. During light rain, you can stay dry under the screen, provided that the screen slopes sufficiently to allow the water to run off through the integrated water drain in the extension pole.



Lighting creates atmosphere

Enjoy your terrace for longer in the evening, thanks to the dimmable led lighting.



Sun protection at its best

Even when the sun is low, you can protect your terrace and your house from the heat thanks to the valance that is integrated into the extension pole.

For added comfort, choose from the following options

- Under-awning heating
- Various led lighting options
- Sensors (sun, rain, temperature and wind sensor)



*Maximum wind load resistance class 2 for an open awning in accordance with European Standard 13561.

HAROL

Premium quality

All the benefits of summer without any of the drawbacks.

Installation

- As Tucan offers a choice between both wall and ceiling mounting, you have the option of mounting the awning either on the façade or under a canopy. Tucan is the ideal solution for apartment terraces, as the screen is light and compact.
- Bracket mounting single-point tension: the forces acting on the screen are transferred directly to the wall.
- If a half-open system is selected, then the fabric is visible. With a closed system, the fabric is securely stored.

.....

Servicing

- The box, arms and water drainage must be cleaned regularly with lukewarm water and a mild detergent, then rinsed thoroughly with tap water. (at least twice a year).
- If you choose a closed box, then the fabric will be effectively protected against dirt. Furthermore, the awning's fabric is treated with a special dirt-repellent product. If the fabric still needs to be cleaned, then it's best to ensure it is free of dust by vacuuming, blowing, shaking or brushing off the dust. For watery stains, moisten thoroughly and rub with a clean cloth. Only use detergents such as soap or other chemical products in very exceptional situations.

Design

- Round-edged box
- Semi-open or closed system
- Wall or ceiling mounting



Sustainable

- High-quality and durable folding arm system, with a lifespan of 25,000 cycles.
- The woven acrylic fabric has been treated against rotting and mould for longer life.

Aesthetics

- Tucan has a traditional look: the closed Tucan box has an appealing rounded edge.
- Match the folding arm screen to your exterior joinery. Available in all RAL colours and a wide range of paints and textured coatings, all at the standard price.
- ➤ A plethora of options for even greater comfort: dimmable led light in the arms, heating, valances...
- The awning protects against UV rays and excess heat in the home and is available in high-quality technological fabric in a wide range of materials and colours.
 - Standard: Dickson Orchestra of Sattler Urban Design
 Optional: choose from the Swela, Sattler and Dickson collections


.....


Lighting creates atmosphere

- Integrated led in the arms (direct light)
- Under-awning heating

Shaded area

- Width up to 5.5 m
- Drop up to <u>3 m</u>
- ▶ Pitch 10° to 90°
- Valance 25 cm





mınımal LUX	mınımal BX270	Elegant CADIZ	Elegant TUCAN	Elegant BX260	Curved PRAIA

STRUCTURE

Box type	Closed box	Closed box	Closed box	Closed or semi-open	Closed box	Open / (cover = optional)
Max. width (mm)	7000	7000	7000	5500	7000	7000
Max. drop (mm)	4000	3500	4000	3000	3500	4000
Max. height vario-valance (mm)	2000	n/a	2000	n/a	n/a	2000
Linkable	Up to 12 m	Up to 12 m	Up to 12 m	n/a	Up to 12 m	Up to 12 m
Water drain in extension pole	Standard	Standard	Standard	Standard	Standard	Standard
Fabric for awning	Different materials & colours					
Invisibly wired arms	Standard	n/a	Standard	n/a	n/a	Standard

CONTROLS

Manual operation with crank	n/a	Optional	n/a	Optional	Optional	Optional
Motor-controlled	Standard	Standard	Standard	Standard	Standard	Standard
Transmitter	Standard	Standard	Standard	Standard	Standard	Standard
RTS	Optional	Optional	Optional	Optional	Optional	Optional
Wired	Optional	Optional	Optional	Optional	Optional	Optional

OPTIONS

Fixed valance	Optional - choice of 4 types of valance	Optional - choice of 4 types of valance	Optional - choice of 4 types of valance	Optional - choice of 4 types of valance	Optional - choice of 4 types of valance	Optional - choice of 4 types of valance
Vario-valance with io-motor	Optional	n/a	Optional	n/a	n/a	Optional
Direct led lighting (arms)	Optional	n/a	Optional	Optional	n/a	Optional
Direct led lighting (box)	Optional	Optional	Optional	n/a	n/a	Optional
Direct led lighting (arms & box)	Optional	n/a	Optional	n/a	n/a	Optional
Indirect led lighting (box & extension pole)	Optional	n/a	Optional	n/a	n/a	n/a
Sun, wind $\&$ rain sensor	Optional	Optional	Optional	Optional	Optional	Optional
Storelight led spotlights	Optional	Optional	Optional	Optional	Optional	Optional
Storelight heating	Optional	Optional	Optional	Optional	Optional	Optional



f harolworldwidei harolworldwide

in company/harol-consyst-nv 2 +32 (0)13 38 01 67

Industrieterrein 1/3, Industriezone Webbekom 1025. 3290 Diest

